

MUNC-18a Ab

Affinity Biosciences website:www.affbiotech.com order:order@affbiotech.com

Images(3)

| Cat.#: AF4751 Size: | Concn.: ~1mg/ml Source: Rabbit | Mol.Wt.: 70kDa Clonality: Polyclonal |
|------------------------|--|---|
| Application: | WB 1:500-1:2000 *The optimal dilutions should be determined by the end user. | |
| Reactivity: | Human,Mouse,Rat | |
| Storage: | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt. | |
| Purification: | The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific). | |
| Immunogen: | A synthesized peptide derived from hur region within the internal amino acids. | nan MUNC-18a, corresponding to a |
| Uniprot: | P61764 | |



Western blot analysis of extracts from Mouse muscle, using MUNC-18a Ab. The lane on the left was treated with blocking peptide.

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.