

Affinity Biosciences website:www.affbiotech.com order:order@affbiotech.com

## P53 Ab

Images(2)

| Cat.#: AF6078<br>Size: | Concn.: ~1mg/ml<br>Source: Rabbit   | Mol.Wt.: 53kDa<br>Clonality: Polyclonal |
|------------------------|---|---|
| Application:           | WB 1:500-1:2000<br>*The optimal dilutions should be determined by the end user.   |   |
| Reactivity:            | Human,Mouse,Rat   |   |
| Storage:               | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt.  |   |
| Purification:          | The antiserum was purified by peptide affinity chromatography using SulfoLink <sup>TM</sup> Coupling Resin (Thermo Fisher Scientific).  |   |
| Immunogen:             | A synthesized peptide derived from human P53, corresponding to a region within C-terminal amino acids.  |   |
| Uniprot:               | P04637  |   |
| Description:           | Tumor protein p53, a nuclear protein, plays an essential role in the regulation of cell cycle, specifically in the transition from G0 to G1. It is found in very low levels in normal cells, however, in a variety of transformed cell lines, it is expressed in high amounts, and believed to contribute to transformation and malignancy. |   |



Western blot analysis of extracts from various samples, using P53 Ab. Lane 1: HepG2, treated with blocking peptide; Lane 2: HepG2; Lane 3: Rat lung.

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.