

LAL Ab

Images(1)

Cat.#: BF0079 Concn.: ~1mg/ml Mol.Wt.: 46kDa Size: Source: Mouse Clonality: Monoclonal

Application: ELISA 1:10000, WB 1:500-1:2000

*The optimal dilutions should be determined by the end user.

Reactivity: Human

Storage: Mouse IgG1 in phosphate buffered saline (without Mg2+ and Ca2+), pH

7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C.

Stable for 12 months from date of receipt.

Purification: Affinity-chromatography.

Immunogen: Purified recombinant fragment of human LAL expressed in E. Coli.

Uniprot: P38571

Description: Lysosomal acid lipase (LAL), with 378-amino acid protein (43-54 kDa),

functions in the lysosome to catalyze the hydrolysis of cholesteryl esters and triglycerides which are taken up by receptor-mediated endocytosis. An inherited deficiency or low activity of human lysosomal acid lipase results

in the intralysosomal storage of the respective lipid substrates.




Figure 1: Western blot analysis using LAL mouse mAb against LAL

recombinant protein.

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.