

RON Ab

[Images\(1\)](#)

Cat.#: BF0576 Concn.: ~1mg/ml Mol.Wt.: 152kDa
Size: Source: Mouse Clonality: Monoclonal

Application: ELISA 1:10000, WB 1:500-1:2000
 *The optimal dilutions should be determined by the end user.

Reactivity: Human

Storage: Mouse IgG1 in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt.

Purification: Affinity-chromatography.

Immunogen: Purified recombinant fragment of human RON expressed in E. Coli.

Uniprot: Q04912

Description: RON (MST1R): macrophage stimulating 1 receptor (c-met-related tyrosine kinase). RON is a receptor tyrosine kinase that is translated as a single polypeptide and then proteolytically cleaved to yield a mature heterodimer consisting of an extracellular 35 kDa α chain disulfide-linked to a membrane-spanning 150 kDa beta chain.




Figure 1: Western blot analysis using RON mouse mAb against HCC827 (1), HT-29 (2), HCT-116 (3) and BxPC-3 (4) cell lysate.

IMPORTANT: For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween@20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.