

CCT2 Ab

Images(1)

Cat.#: BF0056	Concn.: ~1mg/ml	Mol.Wt.: 54kDa
Size:	Source: Mouse	Clonality: Monoclonal
Application:	ELISA 1:10000, WB 1:500-1:2000	
Reactivity:	*The optimal dilutions should be determined by the end user. Human	
Reactivity.	Tullan	
Storage:	Mouse IgG1 in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt.	
Purification:	Affinity-chromatography.	
Immunogen:	Purified recombinant fragment of human CCT2 expressed in E. Coli.	
Uniprot:	P78371	
Description:	The protein encoded by this gene is a m	olecular chaperone that is a member
r	of the chaperonin containing TCP1 com	1
	TCP1 ring complex (TRiC). This compl	
	rings, each containing eight different pr	otems.
kDa 1		




Figure 1: Western blot analysis using CCT2 mAb against human CCT2 (AA: 87-290) recombinant protein. (Expected MW is 47.9 kDa)

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.